Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/ZA2004/000096

International filing date: 10 August 2004 (10.08.2004)

Document type: Certified copy of priority document

Document details: Country/Office: ZA

Number: 03/04164

Filing date: 08 August 2003 (08.08.2003)

Date of receipt at the International Bureau: 28 December 2006 (28.12.2006)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)



Setifikaat

PATENTKANTOOR

DEPARTMENT VAN HANDERL NYWERHEID



RE 2004/00096

Certificate

PATENT OFFICE

DEPARTMENT OF TRADE AND INDUSTRY

Hiermee word gesetifiseer dat This is to certify that

程2004/00096

The attached documents are true copies of the Form P2, P1, P6 and a Provisional Specification of a South African Patent application No. 2003/04164, Originally filed on the 29th May 2003 and subsequently post-dated to the 8th August 2003

In the name of:

Petrus Jacobus DELPORT &

Jacobus Marthinus BARNARD

Entitled

SEAL-A-CAN

Geteken te

in die Republik van Suid-Afrika, hierdie
PRETORIA
20th


dag van

Signed at

in the Republic of South Africa, this

DECEMBER 2006

day of



Registrateur van Patente Registrar of Patents

FORM? 2. (To be lodged in duplicate)

REPUBLIC OF SOUTH AFRICA	,							PATENTS ACT, 1978
		REGISTER (OF F	PATENTS				,
				Acce	eptance da	ate		
Official application No. 21 07 4 5 2003 -05 - 2005				47				
International classification		Lodging date: Complete				led date		
51		23						
Full name(s) of applicant(s)/F	atent				<u></u>			
71 Petrus Jacobus Piet								
Jacobus Marthinus Bar								
		,						
Applicants substituted:					Dale registered			
71		171111111111111111111111111111111111111						
Assignee(s):					Date	registered		
71								
		· · · · · · · · · · · · · · · · · · ·						
Full name(s) of inventor(s):								
72 Petrus Jacobus F								
Jacobus Marthinus Ba	ırna	rd						
Priority claimed		Country	+-	Numbe	nber			Date
	3	W	3				3	
8	3		3				3	
	3		3				3	
Title of Invention								
54 Seal-a-can								
Address of applicant(s)/Pate	nteel	s) Fuchsia 35 Karing	ark	Proforia Ga	utor	20		
Eeufees Road 104 F		<u> </u>				19		
Address for service Chan					uner	Street	11	S Pretoria 0002
74	100.	JUL HOW COULT ON	31110	Clot adita	ugo.	01100	- , ,	91 1010114 0002
Patent of addition No.		Date of any change						
61	•	Date of any onange		***				
Fresh application based on		Date of any change						

P 015 (E)

6:P-5.i .9.	0126	REPUBLIC OF	SOUTH AFRICA _					
The	e grar	PLICATION FOR A PATENT AND A [Section 30 (See r	FS ACT 1070 FO					
aupi	icaic.		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)					
		ation No. 0003/4164	Applicant's or agent's reference seal/1					
(ii) 		ame(s) of applicant(s)	Petrus Jacobus Pieterse Delport					
71 Full name(s) of applicant(s)			Jacobus Marthinus Barnard					
(lii) Address(es) of applicant(s)			Fuchsia Steet 35, Karinpark, Pretoria					
			Eeufees Road 104 , Pretoria North Pretoria					
(iv	<u></u>		The state of the s					
34	litle of	finvention Seal-a-can						
(v)								
	he ap	oplicant claims priority as set out on the accompanyin	ng form P 2.					
(vi								
****	5055	oplication is for a patent of addition to Patient Applica	tion No.					
(vi								
		oplication is a fresh application in terms of section 37	and based on Application No.					
21								
(vi								
		plication is accompanied by:						
×	1.	A single copy of a provisional or two copies of a c	complete specification of one pages.					
_ -	2.	sneeis.						
_	3.	Publication particulars and abstract (form P 8 in duplicate). A copy of Figure of drawings (if any) for the abstract						
_	4.							
+	5. 6.	An assignment of invention.						
-	7.	Certified priority document(s) (state number). Translation of the priority document(s).						
\dashv	8.	An assignment of priority rights						
-	9.	A copy of the form P 2 and the specification of S.A.	Data Manifesti	 i				
	10.	A declaration and Power of Attorney on form P 3.	raterit Application					
	11.	Request for ante-dating on form P 4.						
	2.	Request for classification on form P 9.						
	3.							
(ix)								

Address for service: Chamber 302, New Court Chambers, 115 Paul Kruger Street, Pretoria 0002

Dated this 28 th

day of May

Received - dotec Official date stamp

Signature of applicant(s) or agent The duplicate will be returned to the applicant's address for service as proof of lodging but is not valid unless endorsed with official stamp.

REPUBLIC OF SOUTH AFRICA PATENTS ACT, 1978

PROVISIONAL SPECIFICATION

(Section 30(I) - Regulation 27)

Offi	cial App	lication No.	
21	01	@2003/4164	-

Lodging Date
08.08.2003
22 2883-05-29
Post - dated

Full name(s) of applicant(s)

71 PETRUS JACOBUS PIETERSE DELPORT JACOBUS MARTHEMUS BARNARD

Full name(s) of inventors(s)

72 PETEUS JACOBUS PIETERSE DELPORT JACOBUS MARTHINUS BARNARD

Title of invention

54 SEAL - a - CAN.

(RP42E)

"Seal-a-can "

Rotating Container Valve / Diaphragm / Seal


This inner valve/diaphragm/seal is a new closing mechanism designed to close a container opening from preferably inside by a preferably rotating plastic/ rubber or other suitable material valve/diaphragm/ seal.

The rotating action will preferably be manipulated from the outside of the container volume area. The inside valve/diaphragm/seal will be designed to close the opening hole when a container is already opened at such a hole. The material used to close this hole will preferably be contributing to the successful working of the mentioned valve/diaphragm/seal.

The attachment between the inside valve/diaphragm/seal and the outside opening mechanism will preferably be used to conduct the rotating or closing motion to the best closing condition.

Petrus Jacobus Pieterse Delport.

Jacobus Marthinus Barnard



Ourside view of th

Before opening



Opened tin

Seal almost closed completly

Turn opener to close seal



TO CLOSE SEAL


0

TO CLOSE SEAL


9

Seal turned from outside to close

Seal on opened tin almost closed completly




CLOSE



Waw from inside th

Before opening with seal inplace



Opened tin

